Application/Control No. O9/591,177 Applicant(s)/Patent Under Reexamination BEAUDOIN ET AL. Examiner Bradley L. Sisson Applicant(s)/Patent Under Reexamination BEAUDOIN ET AL. Art Unit Page 1 of 1

U.S. PATENT DOCUMENTS

U.S. PATENT DOCUMENTO										
*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Name	Classification					
	Α	US-6,312,662 B1	11-2001	Erion et al.	424/9.1					
	В	US-								
	C -	US-								
	D	US-								
	Е	US-								
	F	US-								
	G	US-								
	Н	US-								
	ī	US-								
	J	US-								
	К	US-								
	L	US-								
	М	US-								
				TOTAL DATENT DOCUMENTS						

FOREIGN PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Country	Name	Classification
	N					
	0					
	Р					
	Q					
	R					
	s					
	Т					

NON-PATENT DOCUMENTS

*		Include as applicable: Author, Title Date, Publisher, Edition or Volume, Pertinent Pages)
	U	
	V	
	w	
	х	(Co. MDED 5.707.05(a))

*A copy of this reference is not being furnished with this Office action. (See MPEP § 707.05(a).) Dates in MM-YYYY format are publication dates. Classifications may be US or foreign.

		21/06/01						
				Docket Number (Optional) 850865.9001		Application Number 09/5	91,177	
·	INFOR	MATION DISCLOSURI	E CITATION PE	Applicant(s) A.L. BEAUDOIN et al				-
•		(Use several sheets if necess	ary)/	Filing Date		Group Art Unit	21/	
			APR 3 0 2001 8	June 9, 2000			34	
			U.S.	ATENT DOCUMENTS				
XAMINER	$\overline{}$		DATEMARI	NAME	CLASS	SUBCLASS	FILING D	ATE
INITIAL	REF	DOCUMENT NUMBER	DATE	IVAME	CLASS	00202	IF APPROPI	RIATE
					RECI	EIVED		
					MAYU	3 2001		,
				TF	d н СЕМТІ	ER 1600/2900		
				1				
	ļ				<u> </u>			
							ļ	•
	<u> </u>	<u> </u>	FOR	EIGN PATENT DOCUMENTS				
	T		2.000	COUNTRY	CLASS	SUBCLASS	Transl	ation
	REF	DOCUMENT NUMBER	DATE	COUNTRY			YES	NO
	<u> </u>							
	-							
	-						1	
	<u> </u>				1			
		L	OT	HER DOCUMENTS (Includin	g Author. Titl	le, Date, Pertinent l	Pages, Etc.)	<u> </u>
								intrinc!
	,	Burnstock, G., Caminhibitory nerves wh	pbell, G., Bennett, M., an lich are distinct from syn	d Holman, M.E, Innervation pathic nerves? Int. J. Neuro	of the Guine pharmacol 3	ea-Pig Taenia Co 3: 163-166, 1964.	n: are tnere	intrinsi
(B7)		Burnstock G. Evolu	ution of the autonomic in	nervation of visceral and care	diovascular	systems in verteb	rates. Phar	macol.
BY & BY &	e	Rev. 21 (4): 247-324	, 1969.					
				DATE CONSIDERED				
EXAMIN	NER /	3. L. Linen			1-17-0)2		
EVANAIN	√C	itial if citation considered what	her or not citation is in conf	ormance with MPEP Section 609			ot in conform	nance and
not consi	idered.	Include copy of this form with n	ext communication to appli	cant.				

			010		Docket Number (Optional) 850865.90015	Application Number 09/591,177
. 1	NFOR		TION DISCLOSURE CITATION		Applicant(s) A.L. BEAUDOIN et al.	
•		(l	, iii	0118	Filing Date June 9, 2000	Group Art Unit /634
*EXAMINE	ľ		OTHER DOCUMENTS	r, Title	e, Date, Pertinent Pages, Etc.)	
INITIAL			Su, C., Bevan, J.A., and Burnstock, G. [3H] ad 173(994): 336-338, 1971.	denos	sine triphosphate: release during s	timulation of enteric nerves. Science
BXL	3.	_	Langer, S.Z., and Pinto, J.E.B. Possible involv to nerves stimulation of the cat nictitating mem 697-713, 1976.	veme nbra	nt of a transmitter different from ne after pretreatment with reserpi	norepinephrine in the residual responses ine. J. Pharmacol. Exp. Ther. 196(3):
	4.		697-713, 1976.			NECEIVED
	_	-	Burnstock. G. Purinergic receptors. J. Theor.	. Bio	1. 62 (2): 491-503, 1976.	MAY 0 3 2001
	5.					TECH CENTER 1600/2900
	6.		Von Kugelgen, I., and Starke, K. Noradrenali Pharmacol. Sci. 12(9): 319-324, 1991.	ine-A	ATP co-transmission in the sympat	thetic nervous system. Trends
	7.		Westfall, D.P., Sedaa, K.O., Shinozuka, K., Bj 300-310, 1990.	jun, l	R.A., and Buxton, I.L. ATP as a C	otransmitter Ann. NY Acad. Sci. 603:
			Burnstock, G. Neural nomenclature. Nature	229	(5282): 282-283, 1971.	
	8					
	9).	Burnstock, G. A basis for distinguishing two thormones: A multidisciplinary approach. (Ed	type: ds. R	s of purinergic receptors. In: Cell R.W. Straub and L. Bolis), Raven p	membrane receptors for drugs and bress, New York. Pp. 108-118, 1978.
	1	10.	Fredholm, B.B., Abbracchio, M.P., Burnstosk Nomenclature and classification of purinocep	k. G. ptors	, Daly, J.W., Harden, T.K., Jacob. Pharmacol. Rev. 46(2): 143-156,	son, K.A., Leff, P., and Williams, M. 1994.
			Juul, B., Plesner, L., and Aalkjaer, C. Effects arteries. J. Pharmacol. Exp. Therap. 264: 12	ts of . 234-1	ATP and related nucleotides on th 240, 1993.	e tone of isolated rat mesenteric resistance
		11.	Motte, S.; Commun, D.; Pirotton, S.; Boeyna		I.M. Involvement of multiple re	centors in the actions of extracellular ATP
		12.	Motte, S.; Commun, D.; Pirotton, S.; Boeyna the example of vascular endothelial cells. Int	t. J.	Biochem. Cell Biol. 27: 1-7, 1995.	
		12	Rongen, G.A., Floras, J.S., Lender, J.W.M, 7 13-24, 1997.	Thie	r, T., and Smits, P. Cardiovascula	r pharmacology of purines. Clin. Sci. 92:
		13.	Dubyak, G.R., and El Moatassim, C. Signal nucleotides. Am. J. Physiol. 265: C577-C606	l trai 6, 19	nsduction via P2-purinergic recept	tors for extracellular ATP and other
RX	.2	14.	nucleotides. Ann. 912 agreement and annual a	· 		
EXAMI	NER		0		DATE CONSIDERED	7 45
	<u>(85.</u>	X	Lision			line through citation if not in conformance and
*EXAM	INER: I idered.	nitial Inclu	if citation considered, whether or not citation is in co de copy of this form with next communication to app	ontor olican	mance with MFEF Section 607, Draw t.	

ſ				0	Oocket Number (Optional)	Application Number 09/591,177	
١	•	TNI	ODM	ATION DISCI OSUBE CITATION	850865.9001	09/391,177	
١		11/1	OKWL	(Use several sheets if necessary)	A.L. BEAUDOIN et al.		
١				E.	June 9, 2000	Group Art Unit 1034	
Ī		AMINER		OTHER DOCUMENTS (Including Author, Title	e, Date, Pertinent Pages, Etc.)		
ı		NITIAL /	 	Johnson, C.R., and Hourani, S.M. Contractile effect	ts of uridine 5'-triphosphate in the	rat duodenum. Br. J. Pharmacol.	
		KA1	力	113(4): 1191-1196, 1994.		i	
3	H C	≥ `	ΠÄ				
		7	Ω^-	Pennanen, M.F., Bass, B.L., Dziki, A.J., and Harmoupper gastrointestinal tract. J. Surg. Res. 56(5): 46	on, J.W. Adenosine differential effo 1-465, 1994.	ect on blood flow to suregions of the	
14	田	ပ သ		arps gasses			
	த	2001	\leq		NO. 1 TI WILLIAM AND ADVANCED IN	was to was distant of MD vocanases to	
	02	9	Щ	Strohmeier, G.R., Reppert, S.M., Lencer, W.I., and adenosine receptor agonists in human intestinal epi	Madana, J.L. The A2D adenosine thelia. J.Biol. Chem. 270(5): 2387	-2394, 1995.	
P^{C}	2900		Ų.				
	\vdash		_	Hancock, D.L., and Coupar, I.M. Functional char-	acterization of the adenosine recep	tor mediating inhibition of peristalsis in	
ن.				the rat jejunum. Br. J. Pharmacol 115(5):739-744,	1995.	•	
			18.				
_		<u> </u>		Sarna, S.K. Gastrointestinal longitudinal muscle c	ontractions. Am. J. Physiol. 265(1	pt1): G156-G164, 1993.	
,7							
			19.				
:1/		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		Baricordi, O.R., Ferrari, D., Melchiorri, L., Chiozz ATP-activated channel is involved in mitogenic sti	ci. P., Hamann, S., Chiair, E., Rubi mulation of human T lymphocytes	ni, M., and Di Virgilio, F. An Blood 87(2): 682-690, 1996.	
i(20.	, , , , , , , , , , , , , , , , , , ,			
	L			Di Virgilio, F. The P2Z purinoceptor: an intriguir	a vala in immunity inflammation	and cell death Immunol Today 16(11):	
 .	l			525-528, 1995.	ig fore in minimumity, inflammation	and ten death. Immunon 2001, 20(22)	
اکر	1		21.			•	
		-		Ventura, M.A., and Thomopoulos, P. ADP and A	TP activate distinct signaling pathy	vays in human promonocytic U-937 cells	
v				differentiated with 1,25-dihydroxy-vitamin D3. M	ol. Pharmacol 47: 104-114, 1995.		
			22.				
	-	-	 	Biffen, M., and Alexander, D.R. Mobilization of in	ntracellular Ca2+ by adenine nucle	eotides in human T-leukaemia cells:	
21			23.	evidence for ADP-specific and P2y-purinergic reco	eptors. Biochem. 3. 304.705-774, 1	,	
	1		23.				
21	,			Apasov, S., Koshiba. M., Redegeld, F., and Sitoko receptors in T-cell development and cytotoxic T ly	vsky, M.V. Role of extracellular A mphocyte effector functions. Imm	TP and P1 and P2 classes of purinergic unol. Rev. 146: 5-19, 1995.	
۷,	1		24.				
				The state of the s	S Ford A D D W and Eglan D M	A Evidence for nurinergic	
29	, -			Hedge, S.S., Mandel, D.A., wilfird, M.R., Briand, neutransmission in the urinary bladder of pithed	rats. Eur. J. Pharmacol. 349(1): 75	-82, 1998.	
			25				
	<u> </u>			Dunwiddie, T.V., Abbracchio, M.P., Bischofberge	r, N., Brundege, J.M., Bruell, G., C	Collo, G., Corsi, C., Diao, L., Kawashima,	
20	4	1		E., Jacobson, K.A., Latini, S., Lin, R.C.S., Noth, F Surprenant, A., and Cattabeni, F. Purinoceptors	R.A., Pazzagli, M., Pedata, F., Pepe in the central nervous system. Dru	n, G.C., Proctor, W.R., Rassendren, F., ig Dev. Res. 39(3-4): 361-370, 1996.	
	(E	24	2 26.				
	EXA	MINER	<u>l</u>		DATE CONSIDERED _		
		1	?	L Line	6-17	-02	
	*EX	AMINE	R: Initial	l if citation considered, whether or not citation is in conform			
	not considered. Include copy of this form with next communication to applicant.						

. 3

ں ،

ſ					Docket Number (Optional) 850865.9001	Application Number 09/591,177
١	•	INFO	ORMA	ATION DISCLOSURE CITATION	Applicant(s) A.L. BEAUDOIN et al.	
١	•		((Use several sheets if necessary)	Filing Date	Group Art Unit
Ì				APR 3 0 2001 0	June 9, 2000	1634
	*EXAMI			OTHER DOCUMENTS (Including Suther, Ti	tle, Date, Pertinent Pages, Etc.)	
ŀ	INITIA	AL		Burnstock, G., and Wood, J.P.EMP inergic receptor. Curr. Opinion in Neurobiol. 6(4): 526-532, 1996.	ors: Their role in nociception and pri	mary afferent neurotransmission.
25	u BL	4	27.	Curi. Opinion in recursors 6(4): 223 cc., 223 cc.		
1	7	゚゙゙゙゙゙゙゙゙゙゙゙゙゙゙゙゙゙゙゙゙゙゙゙゙゙゙゙゙゙゙゙゙゙	3		1 Carreline Y Autonom	in Pharmacol 14(1): 11-12 1994
ناثو	MAY	П	7	Von Kugelgen, I. Purinoceptors modulating the r	elease of noragrenatine. J. Autonom	nc. 1 nai macoi. 14(1). 11-12, 1994.
	FNT:	5	3 8.			
	<u>ી .</u>	<u> </u>	<u> </u>	Beaudoin, A.R.; Sévigny, J.; Picher, M. ATP dipl	nosphohydrolases, apyrases and nucl	eotide phosphohydrolases: biochemical
	7003; 1003;			properties and functions. In: Biomembrane, vol.	5; Lee, A.G., Ed.; Greenwich, CT: JA	AI, pp. 369-401, 1996.
אַע) 0/29		29			
	<u> 8</u>	+-		Beaudoin, A.R.; Grondin, G.; Enjyoji, K.; Robson NTPDases (ATP diphosphohydrolases) in mamm		
28			30.	related nucleotidases. Diepenbeek, Belgium, 14-18. The Netherlands; pp. 125-135, 2000.	3 June 1999. Vanduffel L., and Lemn	nens R., Eds. Shaker Publishing B.V.,
, u					2 1 1 2 1 1 4 1 1 1 1 1 1 1 1 1 1 1 1 1	
				Plesner, L. Ecto-ATPases: identities and function	is. Int. Rev. Cytol. 158: 141-214, 199	
癶			31.			
		-	ļ	Vlajkovic, S.M.; Thorne, P.R.; Hously, G.D.; Mu	noz. D.J.B.; Kendrick, I.S. Ecto-nuc	leotidases terminate purinergic
j o				signalling in the cochlear endolymphatic compar	tment. Neuroreport 9: 1559-1565, 19	998.
			32.			
		-	 	Zimmermann, H. 5'-Nucleotidase: molecular str	ucture and functional aspects. Bioch	em. J. 285: 345-365, 1992.
21		}	33.			
	ł			·		SATD by the ATD
				Laliberté, J.F., and Beaudoin AR. Sequential hy diphosphohydrolase from pig pancreas. Biochim	drolysis of the gamma- and beta-pho 1. Biophys Acta. 742(1):9-15, 1983.	spnate groups of AIP by the AIP
71			34.			
		 		Côté Y.P., Pavate C. and Beaudoin A.R. The con	ntrol of nucleotides in blood vessels:	Role of the ATP diphosphohydrolase
>	,			(apyrase). Curr. Top. Pharmacol. 1: 83-92, 1992		
7	Ì		35.			
		-		Sévigny J., Levesque F.R., Grondin G. and Beau identification and localization by immunological	doin A.R. Purification of the blood	vessel ATP diphosphohydrolase, 1334: 73-88, 1997.
74			36.	incutification and localization by immunological		,
						1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
7,		T		LeBel D., Poirier G.G. Phaneuf, S. St-Jean P., L calcium sensitive ATP diphosphohydrolase from	aliberté JF. and Beaudoin A.R. Ch 1 the pig pancreas. J. Biol. Chem. 25	aracterization and purification of a 5: 1227-1233, 1980.
٠,٠			37.			
		<u> </u>		Sévigny, J.; Côté, Y.P.; Beaudoin, A.R. Purifica	tion of pancreas type I ATP diphosp	hohydrolase and identification by
30				affinity labelling with 5'-p-fluorosulfonyl benzo	yl adenosine ATP analog. Biochem.	J. 312: 351-356, 1997.
	12	l	38.	300		
	EXAMI	INER	1		DATE CONSIDERED	
i		_*-	(1	da Sinon-	10-17-02	2
	*EXAN	INER	رو <u>ت</u> Initial :	if citation considered, whether or not citation is in confor		
	not con	sidered	i. Inclu	de copy of this form with next communication to applicar	nt.	

ſ				Docket Number (Optional)	Application Number
	•		OIA	850865.9001	09/591,177
1	INF		ATION DISCLOSURE CITATION (Use several sheets if necessity)	A.L. BEAUDOIN et al.	
	_		(Use several sheets if necessary) APR 3	Filing Date June 9, 2000	Group Art Unit
Ì	*EXAMINER		OTHER DOCUMENTS (Including Suthor, Tit.	<u> </u>	
Ì	INITIAL	-	Christoforidis, S.; Papamarcak, T.; Galaris, D.; K diphosphohydrolase. Eur. J. Biochem. 234: 66-74,	Kellner, R.; Tsolas, O. Purification an	id properties of human placental ATP
נק	ヨタメん	39.			
	2,4	R	Kaczmarek, E.; Koziack, K.; Sévigny, J.; Siegel, J. and characterization of CD39/vascular ATP dipho	.B.; Anrather, J.; Beaudoin, A.R.; Baosphohydrolase. J. Biol. Chem. 271:	ich, F.H.; Robson, S.C. Identification 33116-33122, 1996.
3,	MAY 0	@)			
	 	世	Maliszewski, C.R.; Delespesse, G.L.; Schoenborn, Sutherland, G.R.; Poindexter, K.; Birks, C.; Alper	rt A.: Friend D.: Gimbel S.D.: Gavi	ie III. R.B. The CD39 lymphola cen
35	2001 1600/ 290 0		activation antigen: Molecular cloning and structur	ral characterization. J. Immunol. 15	3: 3574-3583, 1994.
	8	U	Wang, T.F.; Guidotti, G. CD39 is an ecto-(Ca2+,	Mg2+)-apyrase. J. Biol. Chem. 271:	9898-9901, 1996.
4.		42.			
			Barcellos, C.K. Schetinger MR. Battastini AM. Sil synaptosomal ATP diphosphohydrolase (EC 3.6.1	Iva LB. Dias RD. Sarkis JJ. Inhibito	ry effect of cadmium acetate on cortex. Br. J. Med and Biol. Res. 27(5):
41		43.	1111-1115, 1994.	13, ap, 1 ass, 11 on 12	
			Côté, Y.P., Ouellet, S., and Beaudoin, A.R. Kineti the bovine aorta. Biochim. Biophys. Acta 1160(3)	ic properties of type-II ATP diphosp!	hohydrolase from the tunica media of
491		44.	the borne autta. Divenim Brophy	• • • • • • • • • • • • • • • • • • • •	I
			Picher, M.; Sévigny, J.; D'Orléans-Juste, P.; Beau ectonucleotidase from the bovine aorta, the ATP of	adoin, A.R. Hydrolysis of P2-purinoodinhosphohydrolase. Biochem. Phar	ceptor agonists by a purified macol. 51: 1453-1460, 1996.
43		45.			
			Westfall, T.D., Kennedy, C., and Sneddon, P. The neurotransmission in the guinea-pig urinary blad	e ecto-ATPase inhibitors ARL 67156 ider. Eur. J. Pharmacol. 329(2-3): 16	enhance parasympathetic 59-173, 1997.
44		46.			
		-	Crack, B.E., Pollard, C.E., Beukers, M.W., Rober Leff, P. Pharmacological and biochemical analys	rts, S.M., Hunt, S.F., Ingall, A.H., Mosis of FPL 67156, a novel, selective in	cKechnie, K.C., Ijzerman, A.P., and hibitor of ecto-ATPase. Br. J.
41		47.	Pharmacol. 114(2): 475-481, 1995.		
			Chen, B.C., Lee, C.M., and Lin W.W. Inhibition C-6 glioma cells and raw 264.7 macrophages. Br	of ecto-ATPase by PPADS, suramin . J. Pharmacol. 119(8): 1628-1634, 1	and reactive blue in endothelial cells, 996.
4	١	48.			
			Kennedy, C., Westfall, T.D., and Sneddon, P. Mo 8(4): 195-199, 1996.	odulation of purinergic neurotransm	ission by ecto-ATPase. Sem. Neurosci.
47	1	49.	0(4) . 220, 220,		
	 		Fischer, B.; Chulkin, A.; Boyer, J.L.; Harden, K. 2-thioether-5'-O-(1-thiotriphosphate) adenine de	T.; Gendron, FP.; Beaudoin, A.R.; crivatives as new insulin secretagogue	Chapal, J.; Hillaire-Buys, D.; Petit, P. es acting through P2Y-receptors. J.
44	" RXV	50.	Med. Chem. 42: 3636-3646, 1999.	_	
	EXAMINER	<u> </u>	· / / / ·	DATE CONSIDERED	7
		کیه	. L. Lisson	6-14	7.02
	*EXAMINEF	R: Initial i	if citation considered, whether or not citation is in conforr de copy of this form with next communication to applicant	mance with MPEP Section 609; Draw line t.	through citation if not in conformance and

P09B/REV04

_				n - 1-4 Number (Ontional)	Application Number	
				Docket Number (Optional) 850865.90015	09/591,177	
	·	Mgos	ATION DISCLOSURE CITATION	Applicant(s)	37.7.7.	
	TIAT.		(Use several sheets if necessary)	A.L. BEAUDOIN et al.		
	•		APR 3 0 2001	Filing Date	Group Art Unit	
			H " " " " " " " " " " " " " " " " " " "	June 9, 2000	1634	
	*EXAMINER	T	OTHER DOCUMENTS (Including Augur, Title	le, Date, Pertinent Pages, Etc.)		
	INITIAL	+	Dilleman D. Wittenburg H. DOEMARKurz C.	Nickel P and Starke K P2-nuring	ocentors antagonists: III. Blockade of	
	1		P2-purinoceptor subtypes and ecto-nucleotidases b	y compounds related to suramin. Na	unyn-Schmiedeberg's Arch.	
<u></u>	RYL	- 51.	Phârmacol. 354: 498-504, 1996.		·	
匠	ט עי	_				
臣			Tuluc, F., Bültmann, R., Glänzel, M., Wilhelm Fra receptor subtypes and ecto-nucleotidases by compo	hm, A., and Starke, K. P2-receptor a	intagonists: IV. Blockade of P2	
北	MAY		357: 111-120, 1998.	Junus related to reactive order 2	,,	
ENTER 1630/2900	Y 0	(5 3)				
뜻	3 33	Ш_	Bültmann, R., and Starke, K. Reactive red 2: a P2	V-selective purinoceptor antagonist:	and an inhibitor of ecto-nucleotidase.	
기능	; 2	<	Naunyn-Schmiedeberg's Arch. Pharmacol. 352: 47	17-482, 1995.	1	
<u> </u>	2001	13				
22	<u> </u>				The H. Pleakada of	
	3		Wittenburg, H., Bültmann, R., Pause, B., Ganter, P2-purinoceptor subtypes and ecto-nucleotidases t	by compounds related to Evans blue :	noceptor antagonists: 11. Diockade of and trypan blue.	
િ	- 1	54.	Naunyn-Schmiedeberg's Arch. Pharmacol. 354: 49	91-497, 1996.	· ·	
		54.				
\vdash	-+	+	Bültmann, R., Pause, B., Wittenburg, H., Kurz, G.	and Starke, K. P2-purinoceptor an	tagonists: I. Blockade of	
3			P2-purinoceptor subtypes and ecto-nucleotidases l Arch. Pharmacol. 354: 481-490, 1996.	by small aromatic isothiocyanato-sulp	phonates. Naunyn-Schmiedeberg's	
Ί		55.	Arcn. Pharmacol. 334: 401-470, 1770.			
L					The Life Life Effects of	
,,			Bonan, C.D., Battastini, A.M.O., Schetinger, M.R. 9-amino-1,2,3,4-tetrahydroacridine (THA) on ATI	.C., Moreira, C.M., Frassetto, S.S., Dr P dinhosphohdrolase (EC 3.6.1.5) and	ias, R.D., and Sarkis, J.J.F. Effects of d 5' nucleotidases (EC 3.1.3.5) from rat	
Y			brain synaptosomes. Gen. Pharmac. 28(5): 761-76	66, 1997.		
		56.				
H		+	Gendron FP., Halbfinger E., Fischer B., D'Orlea	ins-Juste P., Duval M. and Beaudoin	, A. R. Novel ATP diphosphydrolase	
ก			inhibitors: Synthesis, biochemical and pharmacol	ogical characterization. J. Wied. Che	m., 2000. (in press).	
1		57.			i	
L				The At Weight CE.	7'	
Ţ,	_		Fischer, B.; Boyer, J.L.; Hoyle, C.H.; Ziganshin, A. Identification of potent, sele	A.U.; Brizzolara, A.L.; Knight, G.E., ective P2Y-purinoceptor agonists: str	ucture-activity relationships for	
`]	1	58.	T.K.; Jacobson, K.A. Identification of potent, sele 2-thioether derivatives of adenosine 5'-triphospha	ite. J. Med. Chem. 36: 3937-3946, 19	93.	
		36.				
\vdash		-	Baykov A.A., Evtushenko O.A. and Avaeve S.M.	Malachite green procedure for ortho	phosphate determination and its use in	
₹}-	1		alkaline phosphatase-based enzyme immunoassay	y. Anal. Biochem. 171: 266-270, 1988		
	1	59.				
L			0.16	25 - 4 f - sione grow an		
			Bradford M.M. A rapid and sensitive method for of protein-dye binding. Anal. Biochem. 72: 248-2	r the quantification of microgram qua 254, 1976.	antities of protein utilising the principle	
18	1	60.	or brocemary commender	,		
		00.				
<u> </u> -		+	Berthiaume, N.; Claing, A.; Regoli, D.; Warner,	T.D.; D'Orléans-Juste, P. Charateriz	ation of receptors for kinins and	
19			neurokinins in the arterial and venous mesenterio	c vasculatures of the guinea-pig. Br.	J. Pharmacol. 115: 1319-1325, 1995.	
	1	61.				
	<u> </u>				D Meleculer recognition	
1			Halbfinger, E.; Major, D.T.; Ritzmann, M.; Ubl, of modified adenine nucleotides by the P2Y1-reco	J.; Reiser, G.; Boyer, J.L.; Harden, rentor. Part I. A synthetic, biochemic	al, and NMR approach. J. Med. Chem.	
1	n	62.	42: 5325-5337, 1999.	,	<u></u>	
(1574	. "-				
Į,	WAMINED			DATE CONSIDERED		
F	EXAMINER	(.	L. Suran			
1				6-17-		
	EXAMINE	R: Initia	l if citation considered, whether or not citation is in conform	mance with MPEP Section 609; Draw line	through citation if not in conformance and	
l Ir	not considered. Include copy of this form with next communication to applicant.					

П

6

3

ก์